



Ultra Low Range CL17sc Colorimetric Chlorine Analyzer

The Ultra Low Range CL17sc is an essential part of your dechlorination process. Let Hach Service help ensure your chlorine measurements are accurate and available when you need them to protect your valuable assets and report to regulatory agencies with confidence.

Benefits of Service

- Ensures critical chlorine measurements are accurate and reliable both at the low end and throughout the full measuring range
- Detects and prevents potential issues that can degrade performance or reduce instrument life
- Provides documentation to support regulatory compliance
- Removes the burden of managing maintenance schedules
- Technical Support hotline provides rapid and direct resolution and field support when an immediate fix is not possible

Annual Average Maintenance Time: Up to 2 hours Recommended Maintenance Frequency: 2x / year

Essential Maintenance Tasks Performed

Routine:

- Replace tubing kit
- Clean colorimeter
- Update to the latest firmware version
- Verify sample flow rate and adjust as needed

Advanced:

- Inspect pinch plates and pump for visual damage or issues
- Troubleshoot and resolve any error or warning messages
- Review system diagnostics to verify proper functioning of the colorimeter and average flow rate
- Perform 3-point calibration verification with primary chlorine standards to ensure full-range measurement accuracy
- Perform additional check standard to verify performance at the low end of the measuring range
- Produce service report and performance certificate

Parts Replaced During Maintenance			
Part #	Description	Qty.	Frequency
8560400	Tubing Kit	1	6 months

These parts and replacement labor are included with a Hach Service Plan at the recommended frequency. Coverage is available for repairs on site or at the Hach Service Center.

For more information, visit: **www.hach.com/service**

World Headquarters: Loveland, Colorado USA | hach.comUnited States800-227-4224fax: 970-669-2932email: orders@hach.comOutside United States970-669-3050fax: 970-461-3939email: int@hach.com

©Hach Company, 2024. All rights reserved. In the interest of improving and updating its equipment, Hach Company reserves the right to alter specifications to equipment at any time.